IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Serial No: To Be Assigned John L. Margrave et al. § Filed: Herewith For: CHEMICAL DERIVATIZATION OF § § SINGLE WALL CARBON NANOTUBES Group Art Unit: To Be Assigned TO FACILITATE SOLVATION § THEREOF, AND USE OF DERIVATIZED § § Nanotubes Examiner: To Be Assigned §

Atty Dkt: 11321-P026US

Assistant Commissioner for Patents BOX PATENT APPLICATION Washington, DC 20231

0507550477 054445 840 445 0 5 5 4 445
CERTIFICATE OF MAILING (37 C.F.R. 1.10)
This document is being deposited with the U.S. Postal
Service as U.S. Express Mail with sufficient postage, in an
envelope addressed to the Commissioner for Patents,
USRO, Box Patent Application, Washington, D.C. 20231,
on the date indicated below.
1- (-1)
Stunies
Signature
TONI STANLEY
Printed Name
Times Name
EL629591257US
Express Mail Receipt Number
3-16-2501
7 16-200
Date

PRELIMINARY AMENDMENT

Sir:

think there was

The first first

ļ,ij

: 5

100 1

This paper is submitted concurrently with the above-referenced divisional application. No fee (other than the filing fee for the referenced application) is believed to be due in connection with this submission. However, if any fee is determined to be due, the Commissioner is hereby authorized to charge such fees in connection with this Application to Winstead Sechrest & Minick Deposit Account No. 23-2426/11321-P026US.

AMENDMENTS

Prior to examination on the merits, please amend the application as follows:

IN THE SPECIFICATION:

Please amend the specification as follows:

Page 1, line 5, "BACKGROUND OF THE INVENTION," insert:

PRIORITY BENEFIT AND CROSS REFERENCE TO RELATED APPLICATIONS

	This Application is a divisional application of U. S. Patent Application Serial No. 09/
	"CHEMICAL DERIVATIZATION OF SINGLE-WALL CARBON NANOTUBES
	TO FACILITATE SOLVATION THEREOF; AND USE OF DERIVATIZED NANOTUBES TO
	FORM CATALYST-CONTAINING SEED MATERIALS FOR USE IN MAKING CARBON
	FIBERS" to Margraves et al., (Attorney Docket No. 11321-P013WOUS), filed concurrent to the date
	of this Application. this application claims priority benefits to U.S. Patent Application Serial No.
	09/(Attorney Docket No. 11321-P013WOUS), and claims priority benefits to
	International Application No. PCT/US 99/21366, filed September 1999, which application claims
	priority benefits to United States Patent Application Nos. (1) 60/101,092, filed September 18, 1998;
	(2) 60/106,918 filed November 3, 1998; and (3) 60/138,505, filed June 10, 1999, all of which are
mu, m	hereby incorporated by reference.
Hart that W	The present invention is related to the following corresponding U.S. Patent Applications, all of which are divisionals of the U.S. Patent Application Serial No. 09/(Attorney Docket No. 11321-P013US):
	Serial No. 09/ "CHEMICAL DERIVATIZATION OF SINGLE-WALL
	CARBON NANOTUBES TO FACILITATE SOLVATION THEREOF; AND USE OF
	DERIVATIZED NANOTUBES TO FORM CATALYST-CONTAINING SEED MATERIALS FOR
	USE IN MAKING CARBON FIBERS" to Margraves et al., (Attorney Docket No. 11321-P025US),
	filed concurrent to the date of this Application;
	Serial No. 09/ "CHEMICAL DERIVATIZATION OF SINGLE-WALL
	CARBON NANOTUBES TO FACILITATE SOLVATION THEREOF; AND USE OF
	DERIVATIZED NANOTUBES TO FORM CATALYST-CONTAINING SEED MATERIALS FOR
	USE IN MAKING CARBON FIBERS" to Margraves et al., (Attorney Docket No. 11321-P027US),
	filed concurrent to the date of this Application:

Serial No. 09/______ "CHEMICAL DERIVATIZATION OF SINGLE-WALL CARBON NANOTUBES TO FACILITATE SOLVATION THEREOF; AND USE OF DERIVATIZED NANOTUBES TO FORM CATALYST-CONTAINING SEED MATERIALS FOR USE IN MAKING CARBON FIBERS" to Margraves et al., (Attorney Docket No. 11321-P028US), filed concurrent to the date of this Application; and

Serial No. 09/______ "CHEMICAL DERIVATIZATION OF SINGLE-WALL CARBON NANOTUBES TO FACILITATE SOLVATION THEREOF; AND USE OF DERIVATIZED NANOTUBES TO FORM CATALYST-CONTAINING SEED MATERIALS FOR USE IN MAKING CARBON FIBERS" to Margraves et al., (Attorney Docket No. 11321-P029US), filed concurrent to the date of this Application.

IN THE CLAIMS:

The state of the s

2

1

2

3

5

6

1

2

1 2

3

Please delete claims 1-51 without prejudice or disclaimer.

Please add new claims 52-96 listed below.

- 52. (New) A single wall carbon nanotube having one or more substituents covalently bonded to a sidewall of the single wall carbon nanotube.
 - 53. (New) The single wall carbon nanotube of claim 52, wherein the substituents are selected from the group consisting of alkyl, acyl, aryl, aralkyl, halogen, substituted thiol, unsubstituted thiol, substituted amino, unsubstituted amino, hydroxy, and OR', wherein R' is selected from the group consisting of hydrogen, alkyl, acyl, aryl, aralkyl, halogen, substituted thiol, unsubstituted thiol, substituted amino, unsubstituted amino, a linear carbon chain, and a cyclic carbon chain.
 - 54. (New) The single wall carbon nanotube of claim 53, wherein the linear carbon chain or the cyclic carbon chain or both is substituted with at least one heteroatom.
 - 55. (New) The single wall carbon nanotube of claim 53, wherein the linear carbon chain or the cyclic carbon chain or both is substituted with one or more of the group consisting of =O, =S, hydroxy, an aminoalkyl, an amino acid, and a peptide of 2-8 amino acids.

56. (New) The single wall carbon nanotube of claim 52, wherein the substituents are alkyl or phenyl.

1

2

1

2

1

2

1

2 3 4

1 2 2

The state of the s

un in

1

2

3

- 57. (New) The single wall carbon nanotube of claim 52, further comprising metal complexed to at least one of the substituents.
- 58. (New) The single wall carbon nanotube of claim 57, wherein the metal is selected from the group consisting of Group VI B metals and Group VIII B metals.
- 59. (New) The single wall carbon nanotube of claim 52, wherein the amount of substituent bonded to carbon atoms of the single wall carbon nanotube is at a substituent to carbon ratio of from (a) one substituent to about 26 carbon atoms to (b) one substituent to about two carbon atoms.
- 60. (New) The single wall carbon nanotube of claim 59, wherein the amount of substituent bonded to the carbon atoms of the single wall carbon nanotube is at a substituent to carbon ratio of from (a) one substituent to about ten carbon atoms to (b) one substituent to about two carbon atoms.
- 61. (New) The single wall carbon nanotube of claim 60, wherein the amount of substituent bonded to the carbon atoms of the single wall carbon nanotube is at the substituent to carbon ratio of from (a) one substituent to about three carbon atoms to (b) one substituent to about two carbon atoms.

ili.

- 63. (New) The product of claim 62, wherein the substituents are selected from the group consisting of alkyl, acyl, aryl, aralkyl, halogen, substituted thiol, unsubstituted thiol, substituted amino, unsubstituted amino, hydroxy, and OR', wherein R' is selected from the group consisting of hydrogen, alkyl, acyl, aryl, aralkyl, halogen, substituted thiol, unsubstituted thiol, substituted amino, unsubstituted amino, a linear carbon chain, and a cyclic carbon chain.
- 64. (New) The product of claim 63, wherein the linear carbon chain or the cyclic carbon chain or both is substituted with at least one heteroatom.
- 65. (New) The product of claim 63, wherein the linear carbon chain or the cyclic carbon chain or both is substituted with one or more of the group consisting of =O, =S, hydroxy, an aminoalkyl, an amino acid, and a peptide of 2-8 amino acids.
- 66. (New) The product of claim 62, wherein the substituents are selected from the group consisting of fluorine, alkyl and phenyl.
- 67. (New) The product of claim 62, further comprising the step of complexing a metal to at least one of the substituents.
- 68. (New) The product of claim 67, wherein the metal is selected from the group consisting of Group V I B metals and Group VIII B metals.
- 69. (New) The product of claim 62, wherein the amount of substituent bonded to carbon atoms of the single wall carbon nanotube is at a substituent to carbon ratio of from (a) one substituent to about 26 carbon atoms to (b) one substituent to about two carbon atoms.
- 70. (New) The product of claim 69, wherein the amount of substituent bonded to the carbon atoms of the single wall carbon nanotube is at the substituent to carbon ratio of from (a) one substituent to about ten carbon atoms to (b) one substituent to about two carbon atoms.

The state of the s

, 100 pm, ...

71. (New) The product of claim 70, wherein the amount of substituent bonded to the carbon atoms of the single wall carbon nanotube is at the substituent to carbon ratio of from (a) one substituent to about three carbon atoms to (b) one substituent to about two carbon atoms.

: []

Sterry Train The Stands

125 H

- 72. (New) A product made by the process comprising:
- (a) fluorinating a single wall carbon nanotube;
- (b) reacting the fluorinated single wall carbon nanotube with a compound containing a substituent to covalently bond the substituents to the single wall carbon nanotube.
- 73. (New) The product of claim 72, wherein the substituents are selected from the group consisting of alkyl, acyl, aryl, aralkyl, halogen, substituted thiol, unsubstituted thiol, substituted amino, unsubstituted amino, hydroxy, and OR', a linear carbon chain, a cyclic carbon chain, and peptide, wherein R' is selected from the group consisting of hydrogen, alkyl, acyl, aryl, aralkyl, halogen, substituted thiol, unsubstituted thiol, substituted amino, unsubstituted amino, a linear carbon chain, and a cyclic carbon chain.
- 74. (New) The product of claim 73, wherein the linear carbon chain or the cyclic carbon chain or both is substituted with at least one heteroatom.
- 75. (New) The product of claim 73, wherein the linear carbon chain or the cyclic carbon chain or both is substituted with one or more of the group consisting of =O, =S, hydroxy, an aminoalkyl, an amino acid, and a peptide of 2-8 amino acids.
 - 76. (New) The product of claim 72, wherein the substituents are alkyl or phenyl.
- 77. (New) The product of claim 72 made by the process further comprising the step of complexing a metal to at least one of the substituents.
- 78. (New) The product of claim 77, wherein the metal is selected from the group consisting of Group VI B metals and Group VIII B metals.
- 79. (New) The product of claim 72, wherein the amount of substituent bonded to carbon atoms of the single wall carbon nanotube is at a substituent to carbon ratio of from (a) one substituent to about 26 carbon atoms to (b) one substituent to about two carbon atoms.

2

3

1

2

3

1

2

1

2

1 2

1 2 Water transfer transfer

Hate Said Said

and W then

- 81. (New) The product of claim 80, wherein the amount of substituent bonded to the carbon atoms of the single wall carbon nanotube is at the substituent to carbon ratio of from (a) one substituent to about three carbon atoms to (b) one substituent to about two carbon atoms.
- 82. (New) The product of claim 72, wherein said step of fluorinating the single wall carbon nanotube comprises exposing the single wall carbon nanotube to a fluorinating agent.
- 83. (New) The product of claim 82, wherein the fluorinating agent is selected from the group consisting of fluorine, CIF₃, BrF₃, IF₅, XeF₂, XeF₄, AgF₂, and MnF₃.
- 84. (New) The product of claim 82, wherein the fluorinating step occurs at a reaction temperature up to about 500°C.
- 85. (New) The product of claim 82, wherein the reaction temperature is between about 250°C and about 400°C.

86. (New) A derivatized single wall carbon nanotube made by the process comprising the 1 2 steps of: 3 (a) reacting the single wall carbon nanotube with a fluorinating agent; 4 (b) solvating the single wall carbon nanotube from step (i); and 5 (c) reacting the fluorinated single wall carbon nanotube with a compound containing 6 a substituent to covalently bond the substituent to the single wall carbon nanotube. 1 2 3 4 5 5 87. (New) The derivatized single wall carbon nanotube of claim 86, wherein the substituents are selected from the group consisting of alkyl, acyl, aryl, aralkyl, halogen, substituted thiol, unsubstituted thiol, substituted amino, unsubstituted amino, hydroxy, and OR', wherein R' is selected from the group consisting of hydrogen, alkyl, acyl, aryl, aralkyl, halogen, substituted thiol, unsubstituted thiol, substituted amino, unsubstituted amino, a linear carbon chain, and a cyclic H. Sail and W. Sam Burf. carbon chain. 88. (New) The derivatized single wall carbon nanotube of claim 87, wherein the linear 2 carbon chain or the cyclic carbon chain or both is substituted with at least one heteroatom. 1 89. (New) The derivatized single wall carbon nanotube of claim 87, wherein the linear 2 carbon chain or the cyclic carbon chain or both is substituted with one or more of the group 3 consisting of =O, =S, hydroxy, an aminoalkyl, an amino acid, and a peptide of 2-8 amino acids. 1 90. (New) The derivatized single wall carbon nanotube of claim 86, wherein the 2 fluorinating agent is selected from the group consisting of fluorine, CIF₃, BrF₃, IF₅, XeF₂, XeF₄, 3 AgF₂, and MnF₃.

(New) The derivatized single wall carbon nanotube of claim 86, wherein the solvation

1

2

91.

step comprises sonication.

ij 1 2

Ü

3p is |sek

3 4

- 92. (New) The derivatized single wall carbon nanotube of claim 86, wherein the solvation step comprises using a solvent selected from the group consisting of an alcohol, CHC13, and dimethylformamide.
- 93. (New) The derivatized single wall carbon nanotubes of claim 92, wherein the alcohol is selected from the group consisting of methanol, ethanol, 2,2,2-trifluoroethanol, 2-propanol, 2-butanol, n-pentanol, n-hexanol, cyclohexanol and n-heptanol.
- 94. (New) The derivatized single wall carbon nanotube of claim 86, wherein the amount of substituent bonded to carbon atoms of the single wall carbon nanotube is at a substituent to carbon ratio of from (a) one substituent to about 26 carbon atoms to (b) one substituent to about two carbon atoms.
- 95. (New) The derivatized single wall carbon nanotube of claim 94, wherein the amount of substituent bonded to the carbon atoms of the single wall carbon nanotube is at a substituent to carbon ratio of from (a) one substituent to about ten carbon atoms to (b) one substituent to about two carbon atoms.
- 96. (New) The derivatized single wall carbon nanotube of claim 95, wherein the amount of substituent bonded to the carbon atoms of the single wall carbon nanotube is at the substituent to carbon ratio of from (a) one substituent to about three carbon atoms to (b) one substituent to about two carbon atoms.

Date: 3/4/0/

Respectfully submitted,

Ross Spencer Garsson

Reg. No. 38,150

Winstead Sechrest & Minick P.C.

Suite 800, 100 Congress Avenue

Austin, Texas 78701

(512) 370-2870 (voice)

(512) 370-2850 (fax)

ATTORNEY FOR APPLICANTS

The first of the f

| # b

== i=